

PRODUCT CATALOG



BLOOD BANK REFRIGERATED CENTRIFUGE BBRC-202



www.biolabscientific.com

BLOOD BANK REFRIGERATED CENTRIFUGE BBRC-202

Engineered to maximize productivity and reliably deliver a wide range of low speed separations. Stainless steel interiors, integrated refrigeration system and advanced temperature controls make it flexible for your evolving applications. Safety features and low noise operation make it an ideal partner for your day to day separations. Used in Cell Separation, Precipitation, Sample Processing, Clinical, Cell Culture, Microplate Processing, Biochemistry, medical diagnosis.

Also known as Floor Standing Centrifuge, Laboratory Floor Type Centrifuge, Floor Type Refrigerated Centrifuge, Benchtop Centrifuge, Laboratory Tabletop Centrifuge.

BBRC-202 BLOOD BANK REFRIGERATED CENTRIFUGE



Floor type with high quality steel structure, safe and reliable.

Flexible axle driven system which drive the rotor directly, smooth in operation, low noise.

Brushless DC frequency motor with simpler construction, more reliable performance, longer life and quietly running

Imported compressors, fluorine-free, double cycle cooling, cold and hot alternating easily, environment pollution-free and precise in temperature control.

Microprocessor control, digital display in the speed, time, RCF in operation, speed rising and reducing quick, operate simply.

10 kinds of program stored in the memory, 10 kinds of accelerating and decelerating. Automatically electric lid lock, super speed, over temperature protection and imbalance protection.

Three layer protection of steel structure, safe and reliable.

SPECIFICATIONS

Model	BBRC-202
Maximum Capacity (No of tubes x Vol.)	6x1000 ml (6 blood bags)
Temperature Range	-20~40°C
Temperature Accuracy	±1°C
Maximum Speed RPM	6000
Speed Accuracy	±20rpm
Maximum RCF	6600xg
Timer Range	1~9 h 59 min
Overall Dimension	800Hx740Dx930W mm
Noise Level	≤ 60 dB(A)
Weight (Net/Gross)	260 kg
Power	4000 W
Power Supply	AC 220V 50Hz 20A

OPTIONAL ACCESSORIES

Accessory Code	Name	Description	RPM	RCFxg
BX-58150	Swing Rotor	6x1000ml	4200	5100xg
BX-58162	Angle Rotor	6x500ml	6000	6600xg



Biolab Scientific Ltd. 3660 Midland Avenue, Suite 300, Toronto, Ontario M1V 0B8, Canada Email: contact@biolabscientific.com | Website: www.biolabscientific.com