

VINNOX2

Compact, Intelligent, Remarkable



VINNO Technology (Suzhou) Co., Ltd.

5F, A Building, No.27 Xinfra Rd, Suzhou Industrial Park, 215123, China

Tel: +86 512 62873806

Fax: +86 512 62873801

Email: vinno@vinno.com

Website: www.vinno.com

VINNO reserve the rights to revise the technical specification if needed.

VINNO
VISION IN INNOVATION

Due to powerful 4D function, sensitive waves and color doppler performance, X2 is sufficient to fulfill versatile clinical application. Its ergonomics and intelligence ensure high efficient daily work.

- » Remarkable Performance
- » Intelligent Workflow
- » Ergonomic Design




Remarkable Performance

» Outstanding B mode image quality with advanced image technology


- VFusion
- VSpeckle
- Pulse Inversion Harmonic

» Sensitive color doppler and waves due to RF-Flow technology

Based on VINNO's innovation RF platform, RF-Flow is very sensitive to blood flow with slow velocity or in deep vessel.



» Powerful 4D imaging technology with extended application tools optional



Intelligent Workflow

» Intuitive touch panel operation

Multiple functions can be easily accessed with your fingers, just like a tablet.




» Easy patient data management




» Raw data post process

Measurement



Angle



PW Dynamic




PW Gain

» Auto IMT


Automatically measures Intima-Media Thickness in interest area and provides the measurement result in easy, fast and accurate approach.



bladder B mode




carotid CFM




early pregnancy B mode




fetal face 3D




fetal nose B mode




kidney CFM



nodule in thyroid B mode



stone of gallbladder in chroma



appendicitis B mode



fetal ear 3D

Ergonomic Design

Its ergonomic design makes your daily work more comfortable and high efficient.




Bluetooth™

Through bluetooth, users can transfer images to their mobile devices.



Convenient transfer of image: Through email, users can transfer image to their mobile devices.



articulating arm



lifting control panel



three probe ports

